



**SAFES AS STRONG AS THE
WINCHESTER® LEGEND.**



Captured by BeAlive.



**PROTECTING THE TRADITION OF
MEMORIES MADE.**

WINCHESTER SAFES

LE



GAGACY

For over 40 years, Winchester Safes has stood as the leader of protection for the things that matter most. From cherished heirlooms to vital documents, Firearms, and everything in between, we've been safeguarding your treasures with a dedication that runs deep. As a veteran owned and family run enterprise, we understand the profound importance of trust.

It's not just about the steel and bolts; it's about the peace of mind that comes from knowing your valuables are shielded by the Winchester® Advantage.

OUR COMMITMENT TO OUR CUSTOMERS GOES FAR BEYOND THE SALE. It's a bond forged in integrity and backed by a guarantee of enduring quality.

Firearm safety is important to us, and we are dedicated to providing a safe that exceeds the standards. We introduced

the first UL® listed gun safe in the United States, **SETTING THE INDUSTRY STANDARD FOR QUALITY AND SECURITY.**

Our fire ratings are not just numbers; they are a testament to the unwavering strength of our safes when faced with the fiercest trials. Our team, comprised of **AVID HUNTERS, VETERANS, OUTDOORSMEN, AND GUN ENTHUSIASTS**, are the embodiment of those who understand the value of safeguarding what's dear.

We don't just sell safes; we live the lifestyle, and we bring that passion into our product and the service our customers deserve. We honor the past with pride while keeping a clear vision for the future. By blending time-tested traditions with bold innovation, we consistently rise above the rest—delivering excellence time and time again.

WE WELCOME YOU AND YOUR FAMILY TO THE WINCHESTER SAFES LEGACY.

THE WINCHESTER® ADVANTAGE

LIMITED LIFETIME WARRANTY

At Winchester® Safes, we stand by our products with a warranty as robust as our legacy. Your safe is protected against fire-related damage, burglary, defects in materials, and workmanship. Safes must be registered to activate the warranty.

FIRE & BURGLARY LIFETIME GUARANTEE

If your safe is ruined by fire or burglary, we'll replace it free of charge (conditions apply). Claims must be filed within six months of the loss.

WARRANTY HIGHLIGHTS (CONDITIONS AND EXCLUSIONS APPLY)



DEFECTS IN MATERIALS & WORKMANSHIP: Covered for five years.



INTERIOR SHELVING & ACCESSORIES: Covered for up to two years.



LOCKS: Coverage varies by model, with extended options available.

IMPORTANT DETAILS

Safes must be registered within one year of purchase to activate warranty claims.

All warranty claims require prior authorization. Unauthorized repairs will not be reimbursed. Insurance coverage for safe contents is highly recommended, as the warranty does not cover contents.

Conditions apply. Extended warranty options available. Please read all warranty conditions/exclusions and register your safe today. Safes must be registered to activate the warranty.

Want to file a claim or need assistance?

Contact our Customer Service Team. For faster service, please provide your safe's serial number, photos of any damage, and relevant incident reports when filing your claim.

Monday - Thursday | 7am - 5pm CST

817-561-9095

contactus@winchestersafes.com



CONTENTS

	6	FIRE PROTECTION
	7	BURGLARY PROTECTION
	8	GRAND AMERICAN™
	10	GUNSTIXX™ STORAGE SOLUTION
	12	BANDIT® SERIES
	14	RANGER® SERIES
DEFENDER DOUBLE DOOR®	16	
BIG DADDY® SERIES	18	
WESTERN® SERIES	20	
LEGACY® SERIES	22	
HOME & OFFICE SERIES	24	
AMMO SAFES	26	

FIRE PROTECTION

Winchester® Safes set the standard in the industry for fire-rated gun safes, offering protection ranging from 45 minutes to 2.5 hours. In addition to advanced security features, our safes are designed with materials and construction methods that provide excellent fire protection.

■ FIREBOARD

All Winchester Safes use fireboard for fire resistance. The bodies and doors have varying layer amounts to increase fire and heat resistance.

■ COMPOSITE DOORS

All Winchester Safes use a composite door design. The steel of the door is wrapped around the fireboard, creating complete fireboard coverage on the door of the safe. This also creates a thicker composite door by allowing more layers of fireboard, increasing the fire rating between safe series.

■ PALUSOL® HEAT EXPANDABLE DOOR SEAL

Palusol® expands 7 times its size when subjected to heat. This creates a gap barrier between the door and the door frame to minimize heat transfer into the safe.

■ EXTERNAL DOOR HINGES

In addition to allowing 180° door swing, external hinges also have a very important function. Unlike safes with internal hinges, an external hinge does not have to have a cut-out in the fireboard of the body of the safe. External hinges allow complete, uninterrupted coverage of the fireboard inside the walls of the safe.



LEGACY® SERIES
2.5 HR. FIRE RATING at 1400°F



WESTERN® SERIES
90 MIN. FIRE RATING at 1400°F



BIG DADDY® SERIES
90 MIN. FIRE RATING at 1400°F



DEFENDER DOUBLE DOOR®
75 MIN. FIRE RATING at 1400°F



RANGER® SERIES
60 MIN. FIRE RATING at 1400°F



GRAND AMERICAN®
60 MIN. FIRE RATING at 1400°F



HOME AND OFFICE SERIES
45 MIN. FIRE RATING at 1400°F

BURGLARY PROTECTION

The majority of Winchester® Safes have gone through and passed the rigorous testing for burglary protection by Underwriters Laboratories® (UL®). We were the first safe manufacturer to be listed by UL® under the Residential Security Container 9L60 (RSC) category. The Bandit® and Ammo Series are not UL® Listed for Burglary (RSC). All Winchester® Safes are also California DOJ approved.

MANY FEATURES ARE NEEDED TO PASS THE UL® TEST FOR BURGLARY IN A GUN SAFE INCLUDING:

UL® Listed Locks
Minimum 12 Ga. Steel Construction
Drill Resistant Hard Plate
Auxiliary Relocker

In addition to these features listed above, Winchester® Safes have many features that increase the security of our gun safes.

LOCKS

UL® Listed electronic locks

4-WAY LOCKING BOLT SYSTEM

Solid steel locking bolts on all four sides of the door with three sides active, creates complete pry coverage on all four sides of the door frame.

2-WAY LOCKING BOLT SYSTEM

Solid steel locking bolts on two sides of the door with one side active, hinge side and open side.

DRILL RESISTANT HARD PLATE

Heat treated .25" steel plate that fits over the lock inside the door and provides exceptional protection against drilling.

AUXILIARY RELOCKER

Spring loaded pin that activates on an attack of the lock and makes bolt work completely inoperable.

RECESSED DOORS

All doors (except Home and Office) are slightly recessed and add increased resistance to pry attacks.

REINFORCED STEEL RETURN DOOR JAMB

A wrap around steel door jamb that adds increased security towards prying.



GRAND AMERICAN™



FIRE PROTECTION

- 60 Minute fire rating at 1400° F
- Palusol® Heat expanding door seal expands to over 6x its size under heat
- UL® rated fireboard protection in the ceiling, walls and door



BURGLARY PROTECTION

- Solid steel 3/16" thick plate door & 10 ga. body
- Dual door design with single SECURAM e-lock
- 1" Dead & Active Bolt work all around both doors
- Right Door: 11 Active Bolts & 5 Dead Bolts
- Left Door: 6 Active Bolts & 5 Dead Bolts
- Auxiliary re-locker keeps active boltwork locked in place when under attack
- Pre-drilled for anchor brackets



MODEL FEATURES

- Equipped with 60 GunStiXX™ and 2 GunStiXX™ plates
- 8 Pistol Pockets per door
- 3 storage pockets per door
- Comes equipped with 4 large and 4 small adjustable shelves
- Power docking station
- Dehumidifier
- LED light kit



GRAND AMERICAN™

WEIGHT: **1733 LBS**
CUBIC SIZE: **69 CF**
LOCKING BOLTS: **27**

EXTERIOR DIMENSIONS:
72" H X 30" D X 55" W

INTERIOR DIMENSIONS:
64 5/16" H X 27 5/8" D X 51 3/4" W

LONG GUN CAPACITY: **60**
GUNSTIXX™ INCLUDED: **60**
GUNSTIXX™ PLATE: **2**
U-SHAPED BARREL RACK: **1**



AVAILABLE IN
BLACK OR TAN



GUNSTIXX™

STORAGE SYSTEM

MAXIMIZE YOUR SAFE'S STORAGE WITH THE GUNSTIXX™

Eliminate the frustration of cluttered and disorganized safes with the GunStiXX™ Storage System. Designed to securely store firearms in a vertical position, they maximize storage capacity while providing effortless access to every firearm, including the ones in the back.

Upgrade your safe's organization and make space for more with the GunStiXX™.



■ VERSATILE & DAMAGE FREE

- Works with rifles and shotguns down to .20 caliber.
- Made from sturdy, damage-free plastic to prevent scratches.
- Rods can be trimmed to fit your specific needs.
- Engineered for long-term durability and reliable use.


■ MORE SPACE, EASY ACCESS

- Eliminate clutter and keep your firearms safe, neat and accessible.
- Store firearms vertically to maximize safe capacity.
- Quickly disconnect rods at the top to retrieve firearms with ease.
- Ensures all firearms, even those in the back, remain within easy reach.

■ KITS FOR ANY SAFE

- Kits specifically designed for our current Winchester® Safes or retrofit your existing Winchester® or competitor safe.
- Kits include plates to transform existing gun racks into the GunStiXX™ system.

Also available in popular Tractor Supply Co. and Academy safe models.



CUSTOM KITS AVAILABLE FOR ALL SAFE BRANDS

Package A

20 GunStiXX™

Up to 18"W x 18"D converter plate

(trimmed to final dimensions provided by you)

Package B

30 GunStiXX™

Up to 36"W x 24"D converter plate


(trimmed to final dimensions provided by you)

Package C

40 GunStiXX™

Up to 54"W x 30"D converter plate

(trimmed to final dimensions provided by you)



BANDIT[®] SERIES

FIRE PROTECTION



- 45 Minute fire rating at 1400° F
- Palusol[®] Heat expanding door and UL[®] rated fireboard protection in the ceiling, walls and door
- External solid steel strap hinges allow full fire protection and remove vulnerability of internal hinges.
- Composite steel door with added layer of UL[®] rated fireboard

BURGLARY PROTECTION



- UL[®] Listed SECURAM electronic lock with backlit keypad
 - Solid steel 14 ga.
- Solid steel external strap hinges and 1" solid steel locking bolts
 - Pre-drilled for anchoring to floor

MODEL FEATURES



- Durable powdercoated finish
- 3-spoke chrome vault handle
 - GunStiXX[™] included
- Adjustable shelving system
- Door Panel Organizer
- Power cord exit hole



SECURITY TO FIT ANY STAGE OF LIFE



BANDIT® 14

Weight: 314 lbs
Cubic size: 13.8 cf
Locking bolts: 8
Exterior dimensions:
60" H x 22" D x 18" W
Interior dimensions:
57.5" H x 20.5" D x 12" W
Long gun capacity: 20
GunStiXX™ included: 11
GunStiXX™ plate included: 1
U-Shaped barrel rack: 1
Door Panel Organizer
Power cord exit hole



BANDIT® 19

Weight: 388 lbs
Cubic size: 19.4 cf
Locking bolts: 10
Exterior dimensions:
60" H x 28" D x 20" W
Interior dimensions:
57.5" H x 26" D x 14" W
Long gun capacity: 30
GunStiXX™ included: 18
GunStiXX™ plate included: 1
U-Shaped barrel rack: 1



BANDIT® 31

Weight: 522 lbs
Cubic size: 30.5 cf
Locking bolts: 10
Exterior dimensions:
60" H x 40" D x 22" W
Interior dimensions:
57.5" H x 38" D x 14" W
Long gun capacity: 40
GunStiXX™ included: 16
GunStiXX™ plate included: 1
U-Shaped barrel rack: 2




The Keefer Brothers' hunting camp is more than a place—it's a legacy, protected by Winchester Safes.

Captured by BeAlive.

Enduring protection tells a story of trust passed down through generations. The Keefer Brothers know that legacies deserve nothing less.

Captured by BeAlive.



RANGER® SERIES



DESIGNED, ENGINEERED,
AND SHIPPED FROM TEXAS



FIRE PROTECTION

- 60 Minute fire rating at 1400° Palusol® Heat expanding door and UL® rated fireboard protection in the ceiling, walls and door
- External solid steel strap hinges allow full fire protection and remove vulnerability of internal hinges.
- Composite steel door with added layer of UL® rated fireboard



BURGLARY PROTECTION

- UL® Listed SECURAM electronic lock with backlit keypad
- Solid steel 12 ga.
- Solid steel external strap hinges and 1" solid steel locking bolts
- Pre-drilled for anchoring to floor



MODEL FEATURES

- Durable powdercoated finish
- 5-spoke chrome vault handle
- GunStiXX™ included
- Adjustable shelving system
- Power Docking System provides (2) 110v outlets and (2) USB ports
- Door Panel Organizer
- Dehumidifier
- LED light kit (pre installed)



ELEVATED LOOK, MORE STORAGE



RANGER® 26

Weight: 594 lbs
Cubic size: 13.8 cf
Locking bolts: 12
Exterior dimensions
59" H x 25" D x 30" W
Interior dimensions
55.5" H x 17" D x 26.75" W
Long gun capacity: 35
GunStiXX™ included: 21
GunStiXX™ plate included: 1
U-Shaped barrel rack: 1



RANGER® 42

Weight: 842 lbs
Cubic size: 19.4 cf
Locking bolts: 12
Exterior dimensions:
59" H x 27" D x 46" W
Interior dimensions:
55.5" H x 19" D x 43" W
Long gun capacity: 65
GunStiXX™ included: 27
GunStiXX™ plate included: 1
U-Shaped barrel rack: 2



RANGER® 44

Weight: 886 lbs
Cubic size: 30.5 cf
Locking bolts: 16
Exterior dimensions:
72" H x 25" D x 42" W
Interior dimensions:
68.5" H x 17" D x 39" W
Long gun capacity: 55
GunStiXX™ included: 23
GunStiXX™ plate included: 1
U-Shaped barrel rack: 2



RANGER® 66

Weight: 1160 lbs
Cubic size: 54.4 cf
Locking bolts: 18
Exterior dimensions:
72" H x 29" D x 55" W
Interior dimensions:
68.5" H x 21" D x 52.5" W
Long gun capacity: 70
GunStiXX™ included: 30
GunStiXX™ plate included: 1
U-Shaped barrel rack: 2

DEFENDER

DOUBLE DOOR®



WEIGHT: **1916 LBS**

CUBIC SIZE: **50 CF**

LOCKING BOLTS: **16**

EXTERIOR DIMENSIONS:
60" H X 30" D X 48" W

INTERIOR DIMENSIONS:
54" H X 27.25" D X 19.25" W

DRAWER INTERIOR DIMENSIONS:
49.5" H X 23.5" D X 8" W

LONG GUN CAPACITY: **40**

GUNSTIXX™ INCLUDED: **40**



A STATEMENT PIECE WITH MAXIMUM STORAGE

DESIGNED, ENGINEERED,
AND SHIPPED FROM TEXAS





FIRE PROTECTION

- 75 Minute fire rating at 1400° F
- Palusol® Heat expanding door seal expands to over 6x its size under heat
- UL® rated fireboard protection in the ceiling, walls and door



BURGLARY PROTECTION

- UL® Listed SECURAM electronic lock with backlit keypad
- Solid steel 12 ga. door & 10 ga. body
- 1" solid steel locking bolts
- Drill-resistant, heat-treated steel hard plate, 60-61 RC
- Titanium disk
- Auxiliary re-locker keeps active boltwork locked in place when under attack
- Pre-drilled for anchor brackets



MODEL FEATURES

- Dual-entry doors slide outward to maximize access to all guns in your safe
- Durable powdercoated textured slate doors with black body
- GunStiXX™ included
- Includes metal shelving with rubberized trays
- Dual 3-spoke chrome wheel handles with added chrome grab bars
- LED light kit (pre installed)



BIG DADDY® SERIES



DESIGNED, ENGINEERED,
AND SHIPPED FROM TEXAS



FIRE PROTECTION

- 90 Minute fire rating at 1400° F
- Palusol® Heat expanding door and UL® rated fireboard protection in the ceiling, walls and door
- External solid steel strap hinges allow full fire protection and remove vulnerability of internal hinges.
- Composite steel door with added layer of UL® rated fireboard



BURGLARY PROTECTION


- UL® Listed SecurAm electronic lock with backlit keypad
- Solid steel 11 ga.
- Solid steel external strap hinges
- 1.25" solid steel locking bolts
- Titanium disk
- Auxiliary re-locker
- Recessed door and reinforced steel return jambs
- Pre-drilled for anchoring to floor



MODEL FEATURES


- Durable powdercoated textured slate or black finish
- 5-spoke chrome vault handle
- Upgraded welted pindot interior
- GunStiXX™ included
- Adjustable shelving system
- Power Docking System provides (2) 110v outlets and (2) USB ports
- Door Panel Organizer
- Dehumidifier
- LED light kit (pre installed)

BIG SPACE, BIGGER SECURITY



BIG DADDY®

Weight: 956 lbs
 Cubic size: 36.5 cf
 Locking bolts: 14
 Exterior dimensions: 59" H x 25" D x 42" W
 Interior dimensions: 53.5" H x 15" D x 38" W
 Long gun capacity: 46
 GunStiXX™ included: 27
 GunStiXX™ plate included: 1
 U-Shaped barrel rack: 1




AVAILABLE IN
BLACK OR SLATE



BIG DADDY® XLT2

Weight: 1274 lbs
 Cubic size: 47.2 cf
 Locking bolts: 18
 Exterior dimensions: 72" H x 27" D x 46" W
 Interior dimensions: 66.5" H x 17" D x 42" W
 Long gun capacity: 70
 GunStiXX™ included: 30
 GunStiXX™ plate included: 1
 U-Shaped barrel rack: 2



AVAILABLE IN
BLACK OR SLATE

WESTERN® SERIES



FIRE PROTECTION

- 90 Minute fire rating at 1400° F
- Double layers of Palusol® Heat expanding door seal expands to over 6x its size under heat.
- UL® rated fireboard protection in the ceiling, walls and door
- Composite steel door with added layer of UL® rated fireboard and laser cut door




BURGLARY PROTECTION

- UL® Listed SECURAM electronic lock with backlit keypad & mechanical backup.
- Solid steel 10 ga.
- Solid steel external strap hinges
- 1.25" solid steel locking bolts
- Pre-drilled for anchoring to floor



MODEL FEATURES

- Available in premium high gloss 2 tone bronze, 2 tone titanium, or textured granite finish
- 5-spoke chrome vault handle
- GunStiXX™ included
- Adjustable shelving system
- Power Docking System provides (2) 110v outlets and (2) USB ports
- Door Panel Organizer
- Dehumidifier
- LED light kit (pre installed)

MADE IN THE USA 



TIMELESS ELEGANCE, TRUSTED PROTECTION



WESTERN® 6036

Weight: 964 lbs
 Cubic size: 33.8 cf
 Locking bolts: 14
 Exterior dimensions:
 60" H x 27" D x 36" W
 Interior dimensions:
 52" H x 16.75" D x 33" W
 Long gun capacity: 25
 GunstiXX™ included: 16
 GunStiXX™ plate included: 1
 U-Shaped barrel rack: 1



WESTERN® 6046

Weight: 1132 lbs
 Cubic size: 43.1 cf
 Locking bolts: 14
 Exterior dimensions:
 60" H x 27" D x 46" W
 Interior dimensions:
 52" H x 16.75" D x 42.5" W
 Long gun capacity: 39
 GunstiXX™ included: 21
 GunStiXX™ plate included: 1
 U-Shaped barrel rack: 2



WESTERN® 6056

Weight: 1302 lbs
 Cubic size: 52.5 cf
 Locking bolts: 16
 Exterior dimensions:
 60" H x 27" D x 56" W
 Interior dimensions:
 52" H x 16.75" D x 52.75" W
 Long gun capacity: 44
 GunstiXX™ included: 26
 GunStiXX™ plate included: 1
 U-Shaped barrel rack: 2



WESTERN® 7256

Weight: 1496 lbs
 Cubic size: 63 cf
 Locking bolts: 18
 Exterior dimensions:
 72" H x 27" D x 56" W
 Interior dimensions:
 64" H x 16.75" D x 52.75" W
 Long gun capacity: 44
 GunstiXX™ included: 26
 GunStiXX™ plate included: 1
 U-Shaped barrel rack: 2

LEGACY[®] SERIES



FIRE PROTECTION

- 2.5 hour fire rating at 1400° F
- Double layers of Palusol[®] Heat expanding door seal expands to over 6x its size under heat.
- UL[®] rated fireboard protection in the ceiling, walls and door
- External solid steel strap hinges allow full fire protection and remove vulnerability of internal hinges.
- Composite steel door with added layer of UL[®] rated fireboard



BURGLARY PROTECTION

- UL[®] Listed SECURAM electronic lock with backlit keypad
- Solid steel 10 ga.
- Solid steel external strap hinges
- 2" solid steel locking bolts
- Titanium disk
- Auxiliary re-locker keeps active boltwork locked in place when under attack
- Recessed door and reinforced steel return jambs
- Pre-drilled for anchoring to floor




MODEL FEATURES

- Durable powder coated textured slate or black finish
- 5-spoke chrome vault handle
- GunStiXX[™] included
- Adjustable shelving system
- Power Docking System provides (2) 110v outlets and (2) USB ports
- Door Panel Organizer
- Dehumidifier
- LED light kit (pre installed)

DESIGNED, ENGINEERED,
AND SHIPPED FROM TEXAS



CRAFTED FOR THE PRESENT, BUILT FOR THE FUTURE.




LEGACY® 53

Weight: 1624 lbs
Cubic size: 52.5 cf
Locking bolts: 18
Exterior dimensions: 72" H x 30" D x 42" W
Interior dimensions: 66.75" H x 16.75" D x 36.5" W
Long gun capacity: 60
GunstiXX™ included: 26
GunStiXX™ plate included: 1
U-Shaped barrel rack: 2



AVAILABLE IN
BLACK OR SLATE



LEGACY® 62

Weight: 1828 lbs
Cubic size: 62.5 cf
Locking bolts: 18
Exterior dimensions: 72" H x 27" D x 46" W
Interior dimensions: 66.75" H x 16.75" D x 44.5" W
Long gun capacity: 65
GunstiXX™ included: 29
GunStiXX™ plate included: 1
U-Shaped barrel rack: 2



AVAILABLE IN
BLACK OR SLATE

HOME & OFFICE SERIES



DESIGNED, ENGINEERED,
AND SHIPPED FROM TEXAS



FIRE PROTECTION

- 45 minute fire rating at 1400° F
- Double layers of Palusol® Heat expanding door seal expands to over 6x its size under heat.
- UL® rated fireboard protection in the ceiling, walls and door
- External solid steel strap hinges allow full fire protection and remove vulnerability of internal hinges.
- Composite steel door with added layer of UL® rated fireboard



BURGLARY PROTECTION

- UL® Listed SECURAM electronic lock with backlit keypad
- Solid steel 14 ga.
- Solid steel external strap hinges
- 1" solid steel locking bolts
- Recessed door and reinforced steel return jambs
- Pre-drilled for anchoring to floor



MODEL FEATURES

- Durable powdercoated textured slate or black finish
- Power Docking System provides (2) 110v outlets and (2) USB ports
- Features adjustable shelving system for interior customization to fit your storage needs

PEACE OF MIND FOR YOUR PERSONAL AND PROFESSIONAL LIFE



HOME 7

Weight: 194 lbs
 Cubic size: 6 cf
 Locking bolts: 6
 Exterior dimensions:
 30" H x 20" D x 20" W
 Interior dimensions:
 26.75" H x 12" D x 18" W



AVAILABLE IN BLACK OR SLATE



HOME 12

Weight: 314 lbs
 Cubic size: 12.6 cf
 Locking bolts: 8
 Exterior dimensions:
 42" H x 20" D x 26" W
 Interior dimensions:
 38.5" H x 12" D x 24" W



AVAILABLE IN BLACK OR SLATE



AMMO SAFES



AMMO 14

Weight: 318 lbs
Exterior dimensions:
60" H x 18" D x 22" W
Interior dimensions:
57.5" H x 12" D x 20.5" W
Single Lever Handle



AMMO 31

Weight: 524 lbs
Exterior dimensions:
60" H x 22" D x 40" W
Interior dimensions:
57.5" H x 14" D x 38" W
Three-Spoke Handle



EVOLUTION



FIRE PROTECTION

- 90 Minute fire rating at 1400° F
- Palusol® Heat expanding door seal expands to over 6x its size under heat
- UL® rated fireboard protection in the ceiling, walls and door





BURGLARY PROTECTION

- UL® Listed SECURAM electronic lock with backlit keypad
- Solid steel 10 ga. body, 12 ga. door
- Solid steel external barrel hinges and 1" solid steel locking bolts
- Pre-drilled for anchoring to floor



MODEL FEATURES

- Durable powdercoated finish
- 5-spoke chrome vault handle
- GunStiXX™ included
- Adjustable shelving system
- Pull-up utility shelf in door panel to use as a workspace
- (2) Sliding grid panels for hanging bows, firearms, and accessories
- LED light kit (pre installed)



EVOLUTION

WEIGHT: 1518 LBS

CUBIC SIZE: 50 CF

LOCKING BOLTS: 27

EXTERIOR DIMENSIONS:
60" H X 30"D X 48" W

INTERIOR DIMENSIONS:
53.9" H X 22.3"D X 43.8" W

LONG GUN CAPACITY: 30

PISTOL POCKETS: 12

GUNSTIXX™ INCLUDED: 30

GUNSTIXX™ PLATES: 1

PULL-UP UTILITY SHELF: 1





WINCHESTER



At the heart of every hunting camp is a story, a legacy. The Keepers trust Winchester Safes to keep theirs secure.

Captured by BeAlive.

W
by

WINCHESTER

S A F E S



WINCHESTERSAFES.COM / 888.420.0416

2151 Heritage Parkway, Bldg 200

Mansfield, TX 76063